




Catalog # 10-1123

Etoposide

CAS# 33419-42-0

4'-Demethylepipodophyllotoxin 9-(4,6-O-ethylidene-β-D-glucopyranoside)

Lot # X101306



Chemotherapeutic agent. Etoposide forms a ternary complex with DNA and topoisomerase II, preventing re-ligation of DNA strands causing DNA cleavage. Blocks the cell cycle in S-phase and G2-phase.

- 1) Hande (1998) *Etoposide: four decades of development of a topoisomerase II inhibitor*; Eur. J. Cancer **34**, 1514
- 2) Smith et.al. (1994) *Etoposide-induced cell cycle delay and arrest-dependent modulation of DNA topoisomerase II in small-cell lung cancer cells*. Br J Cancer. **70** 914

PHYSICAL DATA

Molecular Weight:	588.56
Molecular Formula:	C ₂₉ H ₃₂ O ₁₃
Purity:	>98%
	NMR: (Conforms)
Solubility:	DMSO (up to 30 mg/ml)
Physical Description:	White solid
Storage and Stability:	Store as supplied at room temperature for up to 2 years from the date of purchase. Protect from exposure to moisture. Solutions in DMSO may be stored at -20°C for up to 2 months.

Materials provided by Focus Biomolecules are for laboratory research use only and are not intended for human or veterinary applications.

Focus Biomolecules LLC 400 Davis Dr. Suite 600 Plymouth Meeting, PA 19462

www.focusbiomolecules.com