

Nitrite Standard, 1000ppm as Nitrogen, Preserved with Chloroform

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/30/2014

Revision date: 01/10/2018

Supersedes: 05/30/2014

Version: 1.1

SECTION 1: Identification

1.1. Identification

Product form : Mixtures
Product name : Nitrite Standard, 1000ppm as Nitrogen, Preserved with Chloroform
Product code : LC17930

1.2. Recommended use and restrictions on use

Use of the substance/mixture : For laboratory and manufacturing use only.
Recommended use : Laboratory chemicals
Restrictions on use : Not for food, drug or household use

1.3. Supplier

LabChem Inc
Jackson's Pointe Commerce Park Building 1000, 1010 Jackson's Pointe Court
Zelienople, PA 16063 - USA
T 412-826-5230 - F 724-473-0647
info@labchem.com - www.labchem.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 or 011-703-527-3887

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Carcinogenicity Category 2 H351 Suspected of causing cancer
Hazardous to the aquatic H402 Harmful to aquatic life
environment - Acute
Hazard Category 3
Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

Hazard pictograms (GHS-US) :



GHS08

Signal word (GHS-US) : Warning
Hazard statements (GHS-US) : H351 - Suspected of causing cancer
H402 - Harmful to aquatic life
Precautionary statements (GHS-US) : P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P273 - Avoid release to the environment
P280 - Wear protective gloves, eye protection
P308+P313 - IF exposed or concerned: Get medical advice/attention
P405 - Store locked up
P501 - Dispose of contents/container to comply with local, state and federal regulations

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : None under normal conditions.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Nitrite Standard, 1000ppm as Nitrogen, Preserved with Chloroform

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Water	(CAS-No.) 7732-18-5	99.19	Not classified
Potassium Nitrite	(CAS-No.) 7758-09-0	0.61	Ox. Sol. 2, H272 Acute Tox. 3 (Oral), H301 Aquatic Acute 1, H400
Chloroform	(CAS-No.) 67-66-3	0.2	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Carc. 2, H351 Repr. 2, H361 STOT RE 1, H372

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Suspected of causing cancer.
- First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Obtain medical assistance.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Safety glasses. Gloves.
- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

Nitrite Standard, 1000ppm as Nitrogen, Preserved with Chloroform

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Refrigerate. Keep container closed when not in use.
Incompatible products : Strong reducing agents. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Potassium Nitrite (7758-09-0)

Not applicable

Water (7732-18-5)

Not applicable

Chloroform (67-66-3)

ACGIH	ACGIH TWA (ppm)	10 ppm (Chloroform; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
OSHA	OSHA PEL (Ceiling) (mg/m ³)	240 mg/m ³
OSHA	OSHA PEL (Ceiling) (ppm)	50 ppm
NIOSH	NIOSH REL (STEL) (mg/m ³)	9.78 mg/m ³ 60 min.
NIOSH	NIOSH REL (STEL) (ppm)	2 ppm 60 min.

8.2. Appropriate engineering controls

Appropriate engineering controls : Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Safety glasses.



Hand protection:

Wear protective gloves

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Respiratory protection not required in normal conditions

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Nitrite Standard, 1000ppm as Nitrogen, Preserved with Chloroform

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Color	: Colorless
Odor	: None.
Odor threshold	: No data available
pH	: 6 - 8
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 1 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Unstable on exposure to heat.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong reducing agents.

10.6. Hazardous decomposition products

Nitrogen oxides. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure : Skin and eye contact

Acute toxicity : Not classified

Potassium Nitrite (7758-09-0)

ATE US (oral)	100 mg/kg body weight
---------------	-----------------------

Water (7732-18-5)

LD50 oral rat	≥ 90000 mg/kg
ATE US (oral)	90000 mg/kg body weight

Nitrite Standard, 1000ppm as Nitrogen, Preserved with Chloroform

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Chloroform (67-66-3)	
LD50 oral rat	695 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 908 mg/kg bodyweight; Rat; OECD 401: Acute Oral Toxicity; Experimental value; 1117 mg/kg bodyweight; Rat)
LD50 dermal rabbit	> 20000 mg/kg (Rabbit; No reliable data available; >3980 mg/kg bodyweight; Rabbit)
ATE US (oral)	695 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h

Skin corrosion/irritation	: Not classified pH: 6 - 8
Serious eye damage/irritation	: Not classified pH: 6 - 8
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.

Chloroform (67-66-3)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water	: Harmful to aquatic life.
-----------------	----------------------------

Chloroform (67-66-3)	
LC50 fish 1	18.2 ppm (LC50; ASTM; 96 h; Oncorhynchus mykiss; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 2	152.5 mg/l (EC50; US EPA; 48 h; Daphnia magna; Static system; Salt water; Experimental value)

12.2. Persistence and degradability

Nitrite Standard, 1000ppm as Nitrogen, Preserved with Chloroform	
Persistence and degradability	Not established.
Potassium Nitrite (7758-09-0)	
Persistence and degradability	Biodegradability in water: no data available.
Water (7732-18-5)	
Persistence and degradability	Not established.
Chloroform (67-66-3)	
Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil. Low potential for adsorption in soil.
ThOD	0.33 - 1.35 g O ₂ /g substance
BOD (% of ThOD)	0.015 - 0.06

12.3. Bioaccumulative potential

Nitrite Standard, 1000ppm as Nitrogen, Preserved with Chloroform	
Bioaccumulative potential	Not established.
Potassium Nitrite (7758-09-0)	
Bioaccumulative potential	No bioaccumulation data available.

Nitrite Standard, 1000ppm as Nitrogen, Preserved with Chloroform

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Water (7732-18-5)	
Bioaccumulative potential	Not established.
Chloroform (67-66-3)	
BCF fish 2	1.4 - 4.7 (BCF; OECD 305: Bioconcentration: Flow-Through Fish Test; 42 days; Cyprinus carpio; Flow-through system; Fresh water; Experimental value)
Log Pow	1.97 (Experimental value; 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

Chloroform (67-66-3)	
Surface tension	0.0271 N/m (20 °C)
Log Koc	Koc, Other; 86.7-367; Experimental value; log Koc; Other; 1.94-2.56; Experimental value
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.

12.5. Other adverse effects

Effect on ozone layer	: None known
Effect on the global warming	: No known effects from this product.
GWPmix comment	: No known effects from this product.
Other information	: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to comply with local, state and federal regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT
Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

Nitrite Standard, 1000ppm as Nitrogen, Preserved with Chloroform		
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard	
All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory		
Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.		
Chloroform	CAS-No. 67-66-3	0.2%

Chloroform (67-66-3)	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	10 lb
SARA Section 313 - Emission Reporting	0.1 %

15.2. International regulations

CANADA

Potassium Nitrite (7758-09-0)	
Listed on the Canadian DSL (Domestic Substances List)	
Chloroform (67-66-3)	
Listed on the Canadian DSL (Domestic Substances List)	

Nitrite Standard, 1000ppm as Nitrogen, Preserved with Chloroform

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

No additional information available

National regulations

Potassium Nitrite (7758-09-0)

Listed on the Canadian IDL (Ingredient Disclosure List)

Chloroform (67-66-3)

Listed on the Canadian IDL (Ingredient Disclosure List)

15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Chloroform (67-66-3)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	20 µg/day

SECTION 16: Other information

Revision date : 01/10/2018

Other information : None.

Full text of H-phrases: see section 16:

H272	May intensify fire; oxidizer
H301	Toxic if swallowed
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H402	Harmful to aquatic life

NFPA health hazard


: 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard

: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



Nitrite Standard, 1000ppm as Nitrogen, Preserved with Chloroform

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard Rating

Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: B B - Safety glasses, Gloves

SDS US LabChem

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.